

Björck, L. (1988) Protein L.

A novel bacterial cell wall protein with affinity for Ig L chains. *J. Immunol.* 140: 1194-7.

Åkerström, B., and Björck, L. (1989)

Protein L: an immunoglobulin light chain-binding bacterial protein. Characterization of binding and physicochemical properties. *J. Biol. Chem.* 264: 19740-6.

Elbashir, M.I., Nilson, B.H., Åkesson, P., Björck, L., and Åkerström, B. (1990)

Antibody response in immunized rabbits measured with bacterial immunoglobulin-binding proteins. *J. Immunol. Methods* 135: 171-9.

Kastern, W., Holst, E., Nielsen, E., Sjöbring, U., and Björck, L. (1990)

Protein L, a bacterial immunoglobulin-binding protein and possible virulence determinant. *Infect. Immun* 58: 1217-22.

Patella, V., Casolaro, V., Björck, L., and Marone, G. (1990)

Protein L. A bacterial Ig-binding protein that activates human basophils and mast cells. *J. Immunol.* 145: 3054-61.

Kastern, W., Sjöbring, U., and Björck, L. (1992)

Structure of peptostreptococcal protein L and identification of a repeated immunoglobulin light chain-binding domain. *J. Biol. Chem.* 267: 12820-5.

Kihlberg, B.-M., Sjöbring, U., Kastern, W., and Björck, L. (1992)

Protein LG: a hybrid molecule with unique immunoglobulin binding properties. *J. Biol. Chem.* 267: 25583-8.

Nilson, B.H., Solomon, A., Björck, L., and Åkerström, B. (1992)

Protein L from *Peptostreptococcus magnus* binds to the kappa light chain variable domain. *J. Biol. Chem.* 267: 2234-9.

De Chateau, M., Nilson, B.H., Erntell, M., Myhre, E., Magnusson, C.G., Åkerström, B., and Björck, L. (1993)

On the interaction between protein L and immunoglobulins of various mammalian species. *Scand. J. Immunol.* 37: 399-405.

Nilson, B.H., Lögdberg, L., Kastern, W., Björck, L., and Åkerström, B. (1993)

Purification of antibodies using protein L-binding framework structures in the light chain variable domain. *J. Immunol. Methods* 164: 33-40.

Wikström, M., Sjöbring, U., Kastern, W., Björck, L., Drakenberg, T., and Forsén, S. (1993)

Proton nuclear magnetic resonance sequential assignments and secondary structure of an immunoglobulin light chain-binding domain of protein L. *Biochemistry* 32: 3381-6.

Murphy, J.P., Trowern, A.R., and Duggleby, C.J. (1994)
Nucleotide sequence of the gene for peptostreptococcal protein L. *DNA Seq* 4: 259-65.

Vola, R., Lombardi, A., Tarditi, L., Zaccolo, M., Neri, D., Björck, L., and Mariani, M. (1994)
Recombinant proteins L and LG. Two new tools for purification of murine antibody fragments. *Cell Biophys.* 25: 27-36.

Wikström, M., Drakenberg, T., Forsén, S., Sjöbring, U., and Björck, L. (1994)
Three-dimensional solution structure of an immunoglobulin light chain-binding domain of protein L. Comparison with the IgG-binding domains of protein G. *Biochemistry* 33: 14011-7.

Akerström, B., Nilson, B.H., Hoogenboom, H.R., and Björck, L. (1994)
On the interaction between single chain Fv antibodies and bacterial immunoglobulin-binding proteins. *J. Immunol. Methods* 177: 151-63.

Axcrona, K., Björck, L., and Leanderson, T. (1995)
Multiple ligand interactions for bacterial immunoglobulin-binding proteins on human and murine cells of the hematopoietic lineage. *Scand. J. Immunol.* 42: 359-67.

Bottomley, S.P., Beckingham, J.A., Murphy, J.P., Atkinson, M., Atkinson, T., Hinton, R.J., and Gore, M.G. (1995)
Cloning, expression and purification of Ppl-1, a kappa-chain binding protein, based upon protein L from *Peptostreptococcus magnus*. *Bioseparation* 5: 359-67.

Vola, R., Lombardi, A., Tarditi, L., Björck, L., and Mariani, M. (1995)
Recombinant proteins L and LG: efficient tools for purification of murine immunoglobulin G fragments. *J. Chromatogr. B. Biomed. Appl.* 668: 209-18.

Gu, H., Yi, Q., Bray, S.T., Riddle, D.S., Shiau, A.K., and Baker, D. (1995)
A phage display system for studying the sequence determinants of protein folding. *Protein.Sci.* 4: 1108-17.

Wikström, M., Sjöbring, U., Drakenberg, T., Forsén, S., and Björck, L. (1995)
Mapping of the immunoglobulin light chain-binding site of protein L. *J. Mol. Biol.* 250: 128-33.

Tyutyulkova, S. and Paul, S. (1995)
Purification of antibody light chains by metal affinity and protein L chromatography. *Methods Mol Biol* 51:395-401

Sohi, M.K., Wan, T., Sutton, B.J., Atkinson, T., Atkinson, M.A., Murphy, J.P., Bottomley, S.P., and Gore, M.G. (1995)
Crystallization and X-ray analysis of a single fab binding domain from protein L of *Peptostreptococcus magnus*. *Proteins* 23: 610-2.

- Yi, Q., and Baker, D. (1996)
Direct evidence for a two-state protein unfolding transition from hydrogen-deuterium exchange, mass spectrometry, and NMR. *Protein.Sci.* 5: 1060-6.
- Wikström, M., Forsén, S., and Drakenberg, T. (1996)
Backbone dynamics of a domain of protein L which binds to immunoglobulin light chains. *Eur. J. Biochem.* 235: 543-8.
- Kihlberg, B.-M., Sjöholm, A.G., Björck, L., and Sjöbring, U. (1996)
Characterization of the binding properties of protein LG, an immunoglobulin-binding hybrid protein. *Eur. J. Biochem* 240: 556-63.
- Kouki, T., Inui, T., Hachiya, T., Okabe, H., Ochi, Y., and Kajita, Y. (1997)
Demonstration of thyroid stimulating activity within H chain fragments of TSAb-IgG by protease digestion and reduction. *Clin. Endocrinol. Oxf.* 46: 183-8.
- Scalley, M.L., Yi, Q., Gu, H., McCormack, A., Yates, J.R.r., and Baker, D. (1997)
Kinetics of folding of the IgG binding domain of peptostreptococcal protein L. *Biochemistry* 36: 3373-82.
- Kouki, T., Inui, T., Okabe, H. and Kajita, Y (1997)
Separation method of IgG fragments using protein L. *Immunol. Invest Jun* 26(4):399-408
- Scalley, M. L. , Yi. Q., Gu, H., McCormick, A., Yates III, J. R. and Baker, D. (1997)
Kinetics of folding of the IgG binding domain of peptostreptococcal protein L. *Biochemistry*, 36: 3373-3382
- Yi, Q., Scalley, M.L., Simons, K.T., Gladwin, S.T and Baker, D (1997)
Characterization of the free energy spectrum of peptostreptococcal protein L. *Folding & Design* 2: 271-280
- Enokizono, J., Wikström, M., Sjöbring, U., Björck, L., Forsén, S., Arata, Y., Kato, K., and Shimada, I. (1997)
NMR analysis of the interaction between protein L and Ig light chain. *J. Mol. Biol.* 70: 8-13.
- Scalley, M. and Baker, D. (1997)
Protein folding kinetics exhibit an Arrhenius temperature dependence when corrected for the temperature dependence of protein stability
Proc. Natl. Acad. Sci USA 94: 10636-10640
- Gu, H., Kim, D. and Baker, D. (1997)
Contrasting Roles for Symmetrically Disposed (-Turns in the Folding of a Small Protein
J. Mol. Biol 274: 588-596
- Scalley, M. L. , Yi. Q., Gu, H., McCormick, A., Yates III, J. R. and Baker, D. (1997)
Kinetics of folding of the IgG binding domain of peptostreptococcal protein L. *Biochemistry*, 36: 3373-3382
- Yi, Q., Scalley, M.L., Simons, K.T., Gladwin, S.T and Baker, D (1997)
Characterization of the free energy spectrum of peptostreptococcal protein L. *Folding & Design* 2: 271-280

Scalley, M. and Baker, D. (1997)

Protein folding kinetics exhibit an Arrhenius temperature dependence when corrected for the temperature dependence of protein stability

Proc. Natl. Acad. Sci USA 94: 10636-10640

Gu, H., Kim, D. and Baker, D. (1997)

Contrasting Roles for Symmetrically Disposed α -Turns in the Folding of a Small Protein

J. Mol. Biol 274: 588-596